


Printable area for IML print on UP0,60 / 0,5 L



Printable glass surface: 229.5 x 151.8 mm | Bleed size 233.5 x 155.8 mm | Minimum line thickness 0.1 mm. |

Full-color CMYK graphics are accepted. | If direct colors are used, please provide them according to the PANTONE color scale. Include these colors in the order. |

For glasses produced with IML printing, the minimum order quantity is 1,000 pieces. | If the graphic includes a ruler, leave that strip (12 mm wide) transparent. |

According to EU regulations, glasses marked with CE can contain a maximum of 3 ruler marks.

Acceptable file formats: For vector graphics: pdf, ai, eps, svg. Please ensure that texts are outlined or attach the font to the graphic file. For image files: jpeg, tif, png.

Minimum resolution 300 DPI, preferably without jpg compression. Creating a high-resolution, photorealistic visual design suitable for marketing materials starts at 5000 HUF.

TECHNICAL SPECIFICATIONS OF THE CUP:

SIZE: Top ø 85.4, Bottom ø 62, Height 155 mm.

WEIGHT: 48 g.

MATERIAL: Polypropylene.

PACKAGING: Carton 60 x 40 x 40 cm, 360 pcs / 18 kg.

WASHING: Max. 100 °C.

PRINT: Full colour CMYK

Note! We cannot take responsibility for content and grammatical errors after the approval and acceptance of the print and visual design.

Printable glass surface: 229.5 x 151.8 mm | Bleed size 233.5 x 155.8 mm | Minimum line thickness 0.1 mm. |

Full-color CMYK graphics are accepted. | If direct colors are used, please provide them according to the PANTONE color scale. Include these colors in the order. |

For glasses produced with IML printing, the minimum order quantity is 1,000 pieces. | If the graphic includes a ruler, leave that strip (12 mm wide) transparent. |

According to EU regulations, glasses marked with CE can contain a maximum of 3 ruler marks.

Acceptable file formats: For vector graphics: pdf, ai, eps, svg. Please ensure that texts are outlined or attach the font to the graphic file. For image files: jpeg, tif, png.

Minimum resolution 300 DPI, preferably without jpg compression. Creating a high-resolution, photorealistic visual design suitable for marketing materials starts at 5000 HUF.

Printable glass surface: 229.5 x 151.8 mm | Bleed size 233.5 x 155.8 mm | Minimum line thickness 0.1 mm. |

Full-color CMYK graphics are accepted. | If direct colors are used, please provide them according to the PANTONE color scale. Include these colors in the order. |

For glasses produced with IML printing, the minimum order quantity is 1,000 pieces. | If the graphic includes a ruler, leave that strip (12 mm wide) transparent. |

According to EU regulations, glasses marked with CE can contain a maximum of 3 ruler marks.

Acceptable file formats: For vector graphics: pdf, ai, eps, svg. Please ensure that texts are outlined or attach the font to the graphic file. For image files: jpeg, tif, png.

Minimum resolution 300 DPI, preferably without jpg compression. Creating a high-resolution, photorealistic visual design suitable for marketing materials starts at 5000 HUF.